

Bay Lake Improvement Association, P. O. Box 461, Deerwood, MN 56444

May, 2021

Dear BLIA Members,

In Fall 2018, several Zebra Mussels were found in Bay Lake. We've been monitoring the situation since and if our infestation follows the mussel's progress in other MN lakes, we should expect to see many more this season. Over the winter we partnered with the UofM based Minnesota Aquatic Invasive Species Research Center in the development of the enclosed "Got Zebra Mussels? Now What?" information.

The research center is studying various ways to manage, control, and eliminate Zebra Mussels and other invasive species, including Eurasian Milfoil. BLIA provides financial support for these efforts. We will continue to provide updates as they become available.

Please read the information and take steps to protect your property, equipment, and boats.

Phil Rollins
President
Bay Lake IA
bliaprez@baylake.org

Got zebra mussels? Now what?

An overview of what to expect and what you can (and can't) do about zebra mussels in your lake.

Ecosystem impacts

Zebra mussels are rapidly-reproducing filter feeders. Established populations siphon huge volumes of lake water every day and remove a significant amount of plankton from it, shunting nutrients from the water column to the bottom of lakes. This can have large scale impacts to water quality and lake food webs that include:

- Increased water clarity—this may seem like a good thing at first, but this generally means less
 food for small fish and other aquatic organisms and more light penetration in the water column.
- More light—which generally leads to more vigorous aquatic plant growth across a wider area of
 the lake. Both native and invasive plant species respond positively to this, but if invasive plants
 such as curlyleaf pondweed or Eurasian watermilfoil are already present, they will typically
 outcompete native species, potentially leading to nuisance growth levels.
- Increased risk of harmful algal blooms—During filter feeding, mussels reject toxic cyanobacteria while consuming non-toxic plankton, increasing a lake's overall proportion of blue-green algae. Blooms of filamentous algae (Clαdophorα spp.) may also increase in severity because this species benefits from more light in the water column, increased nutrients at the lake bottom, and more attachment substrate on zebra mussel shells.




Swimming

- The sharp shells of zebra mussels can cut bare feet. Most lakeshore residents adapt to zebra
 mussels in their swimming areas by wearing water shoes and scraping encrusted mussels off of
 swim ladders with a putty knife or similar tool.
- Accumulations of empty zebra mussel shells on swimming beaches can also become a nuisance.
 A rake and shovel can be used to scrape zebra mussels into a pile and, if necessary, the sand can be conserved and shells filtered out using a mesh screen.
- There are several Minnesota companies that remove zebra mussels for homeowners. Depending
 on the situation, a team of divers uses a hot water pressure hose or manual removal methods to
 remove zebra mussels from riprap, piers, and larger rocks in the swimming area. Depending on
 the severity of the infestation, these services are typically needed 2-3 times per season.

Fishing

- Because increased water clarity directly impacts plant growth, abundance, and species
 composition, habitat conditions for fish survival, growth, and reproduction are impacted. This
 also changes predator prey interactions in fish, favoring some species over others. It is generally
 believed that these conditions favor species like northern pike, muskellunge, and bass, while
 disfavoring species like walleye that require darker, colder water.
- Research has shown that first year walleye in zebra mussel infested lakes grow more slowly and
 are 12-14% smaller at the end of their first summer than walleye in uninfested lakes. Slower growth
 during the first year is associated with higher mortality due to increased predation, lower energy
 reserves to help them survive through the winter, and delayed access to a wider range of prey.



zebra mussels



Keys to identification

- Stripes are generally in zigzag pattern
- Pattern is variable; some may lack striping altogether and can be solid tan or brown
- Have a flat edge and won't topple over when set on it
- Shells form straight line when closed
- Range from 1/5 of an inch to 2 inches

Boats, docks, and lifts

- Zebra mussels can damage boats and engine systems if they are left in the water for prolonged periods. Storing boats on a lift prevents mussel establishment on or in motors, but it is important that the engine is trimmed or the boat is raised high enough to ensure that the lower unit stays out of the water between uses.
- If docks and lifts are removed from the water at the end of each boating season, zebra mussels are rarely able to reach densities that would pose a nuisance because attached mussels eventually die and fall off over the fall and winter. Remember that under Minnesota state law, if you must move a dock, lift or other water equipment to a different waterbody, all organisms must be removed whether they are dead or alive. Furthermore, the equipment must be out of the water for at least 21 days before it can be placed in another lake or river.

Irrigation systems

 Zebra mussels can clog intake screens and restrict flow inside the pipes of lake water irrigation systems. This may necessitate filtration system upgrades or result in higher maintenance expenses.

Reasons to maintain vigilance and optimism


A new invasion of zebra mussels could make it seem like the battle against AIS is lost at your lake. In truth, the opposite is the case: this is the time to double down on outreach and future prevention efforts. Why? Every effort should be taken to ensure that your lake does not become the source population for the next new infestation of zebra mussels. Two, there is growing awareness about the effects of multiple introduced species within a water body. Zebra mussel populations in Minnesota lakes tend to become severe and then stabilize at more tolerable levels, but if additional AIS such as spiny water flea or starry stonewort are present, impacts could be far more severe than any of these species on their own.

Who should you call?

- If you're looking for a zebra mussel removal company or a dock installer, find an operator who is a MNDNR-certified Lake Service Provider. The MNDNR maintains a searchable, location-specific database of certified providers on its website.
- Some zebra mussel mitigation activities require permits from the MNDNR. Before undertaking any projects, contact your local MNDNR AIS Specialist.
- The Minnesota Aquatic Invasive Species Research Center is working toward solutions for all
 aspects of the zebra mussel problem, from reducing the risk of spread to improving population
 management methods to finding eradication tools. Visit the MAISRC website or contact Center
 staff for more information.

Minnesota Aquatic Invasive Species Research Center

The Minnesota Aquatic Invasive Species Research Center (MAISRC) is a nationally acclaimed research facility based at the University of Minnesota that focuses specifically on aquatic invasive species threatening the beloved waters of Minnesota. We work to develop an in-depth understanding of the biology and ecology of AIS—and the complex systems in which they live—to find vulnerabilities and weaknesses in their life cycles that can be targeted for control. We work with partners across the University, state, and country to maximize our impact and use the most technologically advanced and cost-effective methods available. You can learn more about our research on our website: www.MAISRC.umn.edu



Zebra mussels will attach to virtually any solid structure, including plants, rocks, native mussels, or man-made structures suck as docks, pipes, and boats.



Juvenile zebra mussels and larvae can survive in water contained in bait buckets, livewells, ballast tanks, and motors. Always be sure to drain all water when leaving the lake and never pass up an opportunity for a hot water decontamination to prevent their spread.

Clean, drain, dispose information: MNDNR.gov/ais